

i-vac 9B[®]

Battery
powered
freedom





Cordless vacuuming with great cleaning performance

A well trusted name in the community, the i-vac 9B has surprised every user with it's proven mobility, design and power. The i-power 14 batteries powering the engine guarantee a longer run time than other cordless machines!



Key features



i-power 14 batteries

Two-slot system for flexible runtime of either 40 minutes (one i-power 14 battery) or 80 minutes (two i-power 14 batteries). No longer are you bound to cords or outlets!


Supercharge your batteries

The i-power batteries can now be powered up with the new super smart charger. Charge faster than ever before, to make sure you are always on the go!



Smart charger

Battery management system that never overpowers itself for maximum lifespan. The system contains an integrated percentage indicator.



Optional i-brush

This extra floor tool simultaneously agitates the carpet and removes dirt and dust. Powered by the battery.

High powered engine

High powered motor reaches about 80% (indication) of the suction power that cable operated vacuums use, without the strain of being tied down to one place.





i-brush

In need of some extra power to get the job done? Dirt and dust disappear with the revolving brushes inside our power nozzle.

- On and off control at your fingertips
- Height adjustment with the pedal
- LED lighting for working area
- Telescopic wand with integrated cable and hose

Technical Specifications

| | |
|--------------------|--------|
| Voltage | DC 24v |
| Weight | 6.0 Kg |
| Power (Watt) | 180 W |
| Material | PP |
| Sound Level | 50 dB |
| Diameter of access | 32 mm |
| Cleaning width | 300 mm |

VI.01-20171108



Technical specifications

| | |
|-------------------------------|--------------------------|
| Carry weight | 7 kg |
| Size body (l x w x h) | 45 x 45 x 41 cm |
| Hose length | 250 cm |
| Capacity | 9 L |
| Diameter of tools | 32 mm |
| Sound level | 58 dBA |
| Water lift/suction | 1250 mm |
| Air flow | 40 L/sec |
| Application | Indoor, dry |
| Power source | i-power 9 or 14 battery* |
| Battery spec i-power 9 | 24 V 8.8 Ah |
| Battery spec i-power 14 | 25.2 V 14 Ah |
| Run time 1 battery i-power 9 | 30 minutes |
| Run time 2 battery i-power 9 | 60 minutes |
| Run time 1 battery i-power 14 | 40 minutes |
| Run time 2 battery i-power 14 | 80 minutes |
| Charger type | Off-board |
| Charger | 110-240V, 50/60Hz |
| Material machine | PP |

* Battery and charger can be ordered separately.



The filtration on this machine is upgradeable from standard, to HEPA, to ULPA. Available in private label for our customers in 20 and 100 batches. Customize your machinery with your own names and logo's to project your company/industry image.

i-teamglobal.com

i-team Global HQ

Hoppenkuil 27B • 5626DD Eindhoven • Netherlands • +31 40 266 24 50 • hello@i-teamglobal.com